




Campbell Fittings

A



CampbellCrimpnology™
offers crimping flexibility for
your multi-purpose hose
applications.



COMBINATION NIPPLES AND MENDERS

Features & Benefits

- Maximum number of serrations for maximum holding power.
- Long lead serration for easier hose insertion.
- Formed hex wrench area on 3/4" through 1-1/2" combination nipples for easier installation.



Recommended Hose Attachment

- Sleeves (Section G)
- Preformed Bands (Section I)

Recommended Use

- Liquid, bulk handling, low-pressure air

SUCTION HOSE COUPLINGS

Features & Benefits


- Maximum number of serrations for maximum holding power.
- Long lead serration for easier hose insertion.
- Suction Couplings machined from pipe eliminate porosity and parting lines, improving sealing and retention.

Recommended Hose Attachment

- Sleeves (Section G)
- Preformed Bands (Section I)

Recommended Use

- Liquid, bulk handling



Manufacturing Suction Hose Couplings from pipe eliminates wide, flat mating surfaces at the male and female halves.

BALL & SOCKET COUPLINGS

Features & Benefits

- Proven, Campbell-style machined hose shank is designed for crimping (crimp specs available).
- Shank design dramatically improves sealing and retention, cuts installation time in half.
- Hose shanks are welded to ball & socket ball ends.

Recommended Hose Attachment

- Sleeves (Section G)

Recommended Use

- Water Suction/Discharge
- Sewage bypass



Bauer-style vs. Campbell Ball & Socket

MAX. SYSTEM WORKING PRESSURE (PSI @ 70°F) SEE NOTE 1

Hose System Components			Hose Size												
Fitting/Coupling	Attachment	Hose Type ²	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4	6	8	10	12
Combination Nipple	Short Sleeve	Rubber	400	350	300	275	250	225	210	200	175	150	100	75	Call
Combination Nipple	Short Sleeve	Chemical	200	200	200	140	130	120	110	100	50	–	–	–	–
Combination Nipple	Short Sleeve	PVC	150	125	100	90	85	65	60	55	40	30	20	–	–
Suction Coupling	Short Sleeve	Rubber	–	–	–	275	250	225	210	200	175	150	100	–	–
Suction Coupling	Short Sleeve	PVC	–	–	–	90	85	65	60	55	40	–	–	–	–
Ball & Socket Coupling	Sleeve	Rubber	–	–	–	–	–	300*	–	250*	225*	140*	60*	–	–
Ball & Socket Coupling	Sleeve	PVC	–	–	–	–	–	170*	–	140*	100*	80*	50*	–	–

See footnotes 1, 2, 3 and 6 on Page 1.

*Ball & Socket safety factor is 1.5 x working pressure.

COMBINATION NIPPLES & MENDERS



THREADED



Steel

hose size	part number	list each
1/2	HAS-2	4.22
3/4	HAS-3	4.32
1	HAS-4	5.03
1-1/4	HAS-5	6.49
1-1/2	HAS-6	7.26
2	HAS-8	9.45
2-1/2	HAS-10	19.56
3	HAS-12	22.97
4	HAS-16	36.12
5	HAS-20	80.60
6	HAS-24	92.81
8	HAS-32	157.14
10	HAS-40	267.62
12	HAS-48	371.13

Plated Steel

1/2	HAPS-2	4.68
3/4	HAPS-3	4.83
1	HAPS-4	5.84
1-1/4	HAPS-5	6.92
1-1/2	HAPS-6	8.17
2	HAPS-8	11.41
2-1/2	HAPS-10	21.86
3	HAPS-12	26.48
4	HAPS-16	40.95
5	HAPS-20	91.99
6	HAPS-24	105.57
8	HAPS-32	203.88
10	HAPS-40	337.27
12	HAPS-48	482.01

316 Stainless

1/2	HASS-2	20.89
3/4	HASS-3	20.94
1	HASS-4	21.04
1-1/4	HASS-5	26.83
1-1/2	HASS-6	32.27
2	HASS-8	44.55
2-1/2	HASS-10	81.92
3	HASS-12	116.23
4	HASS-16	182.36
5	HASS-20	400.95
6	HASS-24	503.12
8	HASS-32	965.25

Hastelloy®

1	HAHAST-4	POR
1-1/2	HAHAST-6	POR
2	HAHAST-8	POR
3	HAHAST-12	POR
4	HAHAST-16	POR

Brass

1/2	HAB-2	17.13
3/4	HAB-3	24.58
1	HAB-4	24.76
1-1/4	HAB-5	31.41
1-1/2	HAB-6	35.21
2	HAB-8	50.33
2-1/2	HAB-10	88.33
3	HAB-12	120.73
4	HAB-16	247.52

Aluminum

1/2	HAA-2	15.18
3/4	HAA-3	14.41
1	HAA-4	14.41
1-1/4	HAA-5	16.00
1-1/2	HAA-6	16.33
2	HAA-8	19.68
2-1/2	HAA-10	48.00
3	HAA-12	48.00
4	HAA-16	76.78
5	HAA-20	167.97
6	HAA-24	188.75

Poly-Glass

1/2	HAPP-2	0.91
3/4	HAPP-3	1.03
1	HAPP-4	1.47
1-1/4	HAPP-5	3.17
1-1/2	HAPP-6	5.86
2	HAPP-8	7.41
3	HAPP-12	13.96
4	HAPP-16	44.09

BEVELED



Steel

hose size	part number	list each
3/4	HAS-3 BV	6.48
1	HAS-4 BV	6.56
1-1/4	HAS-5 BV	8.69
1-1/2	HAS-6 BV	8.80
2	HAS-8 BV	11.20
2-1/2	HAS-10 BV	22.21
3	HAS-12 BV	26.35
4	HAS-16 BV	40.08
5	HAS-20 BV	86.81
6	HAS-24 BV	101.19
8	HAS-32 BV	181.28
10	HAS-40 BV	320.17
12	HAS-48 BV	453.82

316 Stainless

3/4	HASS-3 BV	25.54
1	HASS-4 BV	26.13
1-1/4	HASS-5 BV	38.97
1-1/2	HASS-6 BV	34.17
2	HASS-8 BV	54.39
2-1/2	HASS-10 BV	96.71
3	HASS-12 BV	122.00
4	HASS-16 BV	182.72
6	HASS-24 BV	502.28
8	HASS-32 BV	797.29

GROOVED



Steel

hose size	part number	list each
3/4	HAGS-3	14.89
1	HAGS-4	10.89
1-1/4	HAGS-5	11.94
1-1/2	HAGS-6	14.32
2	HAGS-8	17.63
2-1/2	HAGS-10	23.71
3	HAGS-12	25.54
4	HAGS-16	37.37
5	HAGS-20	80.79
6	HAGS-24	99.59
8	HAGS-32	171.20
10	HAGS-40	313.73
12	HAGS-48	420.57

316 Stainless

1	HAGSS-4	42.57
1-1/4	HAGSS-5	45.87
1-1/2	HAGSS-6	46.04
2	HAGSS-8	52.41
3	HAGSS-12	142.92
4	HAGSS-16	198.96

REDUCER



Steel

npt x hose	part number	list each
1 x 3/4	HRS-4X3	11.66
1-1/4 x 1	HRS-5X4	15.34
1-1/2 x 1-1/4	HRS-6X5	13.86
2 x 1-1/2	HRS-8X6	16.96
2-1/2 x 2	HRS-10X8	30.96
3 x 2-1/2	HRS-12X10	37.32
4 x 3	HRS-16X12	75.79

Plated Steel

1 x 3/4	HRPS-4X3	11.75
1-1/4 x 1	HRPS-5X4	15.40
1-1/2 x 1-1/4	HRPS-6X5	14.02
2 x 1-1/2	HRPS-8X6	17.63
2-1/2 x 2	HRPS-10X8	32.81
3 x 2-1/2	HRPS-12X10	38.94
4 x 3	HRPS-16X12	78.17

316 Stainless

1 x 3/4	HRSS-4X3	46.16
1-1/4 x 1	HRSS-5X4	56.04
1-1/2 x 1-1/4	HRSS-6X5	83.40
2 x 1-1/2	HRSS-8X6	98.91
2-1/2 x 2	HRSS-10X8	118.67

continued on next page

Other configurations and materials not listed above can be quoted upon request.

EXPANDER



Steel

npt x hose	part number	list each
3/4 x 1	HES-3X4	7.67
1 x 1-1/4	HES-4X5	9.70
1-1/4 x 1-1/2	HES-5X6	10.37
1-1/2 x 2	HES-6X8	19.33
2 x 2-1/2	HES-8X10	29.67
2-1/2 x 3	HES-10X12	36.43
3 x 4	HES-12X16	73.35

Plated Steel

3/4 x 1	HEPS-3X4	8.15
1 x 1-1/4	HEPS-4X5	10.32
1-1/4 x 1-1/2	HEPS-5X6	10.84
1-1/2 x 2	HEPS-6X8	21.05
2 x 2-1/2	HEPS-8X10	30.92
2-1/2 x 3	HEPS-10X12	38.49
3 x 4	HEPS-12X16	84.21

316 Stainless

1/2 x 3/4	HESS-2X3	33.48
3/4 x 1	HESS-3X4	31.89
1 x 1-1/4	HESS-4X5	71.72
1 x 1-1/2	HESS-4X6	79.69
1-1/4 x 1-1/2	HESS-5X6	82.90
1-1/4 x 2	HESS-5X8	87.68
1-1/2 x 2	HESS-6X8	95.66
2 x 2-1/2	HESS-8X10	119.55

LONG SHANK



Steel

hose size	part number	list each
1-1/4	HALS-5	18.51
1-1/2	HALS-6	21.28
2	HALS-8	26.09
2-1/2	HALS-10	46.21
3	HALS-12	48.10
4	HALS-16	68.95

Plated Steel

1-1/4	HALPS-5	18.66
1-1/2	HALPS-6	21.64
2	HALPS-8	26.47
2-1/2	HALPS-10	46.35
3	HALPS-12	48.90
4	HALPS-16	70.31

316 Stainless

1-1/4	HALSS-5	64.25
1-1/2	HALSS-6	70.83
2	HALSS-8	81.90
2-1/2	HALSS-10	115.64
3	HALSS-12	149.36
4	HALSS-16	353.35

MENDER



Steel

hose size	part number	list each
3/8	HCS-38	7.34
1/2	HCS-2	6.63
3/4	HCS-3	5.39
1	HCS-4	5.50
1-1/4	HCS-5	8.42
1-1/2	HCS-6	8.25
2	HCS-8	10.89
2-1/2	HCS-10	21.05
3	HCS-12	22.13
4	HCS-16	37.45
5	HCS-20	127.35
6	HCS-24	77.86
8	HCS-32	209.48
10	HCS-40	361.17
12	HCS-48	574.28

Plated Steel

3/8	HCPS-38	7.79
1/2	HCPS-2	7.04
3/4	HCPS-3	5.71
1	HCPS-4	5.81
1-1/4	HCPS-5	8.91
1-1/2	HCPS-6	8.67
2	HCPS-8	11.51
2-1/2	HCPS-10	22.66
3	HCPS-12	23.28
4	HCPS-16	40.13
5	HCPS-20	135.35
6	HCPS-24	82.18
8	HCPS-32	220.32
10	HCPS-40	381.53
12	HCPS-48	604.08

316 Stainless

3/4	HCSS-3	56.81
1	HCSS-4	63.29
1-1/4	HCSS-5	68.17
1-1/2	HCSS-6	80.04
2	HCSS-8	81.14
3	HCSS-12	186.61
4	HCSS-16	219.08

Brass

3/4	HCB-3	14.25
1	HCB-4	14.67
1-1/4	HCB-5	23.75
1-1/2	HCB-6	38.54
2	HCB-8	42.42

TOE NIPPLES AND REDUCING NIPPLES



TOE NIPPLES



Steel

npt x length	part number	list each
1/2 x 1-1/2	RN-2S	1.95
1/2 x 2	RN-2	1.95
3/4 x 1-1/2	RN-3S	2.41
3/4 x 2	RN-3	2.43
1 x 2	RN-4	3.55
1-1/4 x 2	RN-5	4.63
1-1/4 x 2-1/2	RN-5L	5.20
1-1/2 x 2	RN-6	5.53
1-1/2 x 2-1/2	RN-6L	5.91
1-1/2 x 3	RN-6XL	6.72
2 x 2	RN-8	6.89
2 x 2-1/2	RN-8L	7.66
2 x 3	RN-8XL	8.77
2-1/2 x 2-1/2	RN-10S	24.88
3 x 3	RN-12	27.95
3 x 3-1/2	RN-12L	29.96
3 x 4	RN-12XL	33.26

304 Stainless

1/2 x 1-1/2	RNS-2S	9.01
1/2 x 2	RNS-2	9.39
3/4 x 1-1/2	RNS-3S	9.56
3/4 x 2	RNS-3	9.78
1 x 2	RNS-4	14.13
1-1/4 x 2	RNS-5	14.73
1-1/4 x 2-1/2	RNS-5L	15.94
1-1/2 x 2	RNS-6	16.99
1-1/2 x 2-1/2	RNS-6L	17.24
1-1/2 x 3	RNS-6XL	18.04
2 x 2	RNS-8	23.02
2 x 2-1/2	RNS-8L	23.75
2 x 3	RNS-8XL	28.04
2-1/2 x 2-1/2	RNS-10S	66.31
3 x 3	RNS-12	70.68
3 x 3-1/2	RNS-12L	76.63
3 x 4	RNS-12XL	89.40

REDUCING NIPPLES



Steel

npt x npt	part number	list each
3/4 x 1/2	NS 3-2	9.62
1 x 3/4	NS 4-3	10.30
1-1/4 x 1	NS 5-4	15.09
1-1/2 x 1-1/4	NS 6-5	16.31
2 x 1-1/2	NS 8-6	17.15
2-1/2 x 2	NS 10-8	34.30
3 x 2-1/2	NS 12-10	37.75
4 x 3	NS 16-12	60.05

SUCTION HOSE COUPLINGS



COMPLETE SET



Shanks: Plated Steel Nut: Brass

hose size	part number	list each
1-1/4	CSB-5	44.04
1-1/2	CSB-6	30.90
2	CSB-8	40.28
2-1/2	CSB-10	57.67
3	CSB-12	68.48
4	CSB-16	110.23
6	CSB-24	228.44
8	CSB-32	763.86

Shanks: Plated Steel Nut: Ductile Iron

1-1/2	CSD-6	30.71
2	CSD-8	41.26
2-1/2	CSD-10	60.19
3	CSD-12	70.24
4	CSD-16	111.91
6	CSD-24	241.55

Shanks: Brass

Nut: Brass

1-1/4	CBB-5	53.01
1-1/2	CBB-6	47.83
2	CBB-8	63.46
2-1/2	CBB-10	109.08
3	CBB-12	162.66
4	CBB-16	275.70

Shanks: 316 Stainless Nut: 316 Stainless

1-1/2	CSS-6	148.47
2	CSS-8	201.97
3	CSS-12	348.73

FEMALE SHANK



Shank: Plated Steel Nut: Brass

hose size	part number	list each
1-1/4	FSB-5	26.39
1-1/2	FSB-6	17.90
2	FSB-8	20.49
2-1/2	FSB-10	29.63
3	FSB-12	38.02
4	FSB-16	65.76
6	FSB-24	129.84
8	FSB-32	599.56

Shank: Plated Steel Nut: Ductile Iron

1-1/2	FSD-6	17.65
2	FSD-8	21.39
2-1/2	FSD-10	32.14
3	FSD-12	39.83
4	FSD-16	67.44
6	FSD-24	143.03

Shank: Brass

Nut: Brass

1-1/4	FBB-5	32.52
1-1/2	FBB-6	28.20
2	FBB-8	38.69
2-1/2	FBB-10	69.42
3	FBB-12	91.65
4	FBB-16	157.30

Shank: 316 Stainless Nut: 316 Stainless

1-1/2	FSS-6	117.38
2	FSS-8	157.09
3	FSS-12	224.42

MALE SHANK



Plated Steel

hose size	part number	list each
1-1/4	MS-5	17.16
1-1/2	MS-6	12.71
2	MS-8	19.30
2-1/2	MS-10	27.30
3	MS-12	29.62
4	MS-16	43.25
6	MS-24	95.89
8	MS-32	159.77

Brass

1-1/4	MB-5	20.48
1-1/2	MB-6	19.76
2	MB-8	23.81
2-1/2	MB-10	49.60
3	MB-12	70.62
4	MB-16	118.52

316 Stainless Steel

1-1/2	MSS-6	31.08
2	MSS-8	44.89
3	MSS-12	124.30

FEMALE LONG SHANK



Shank: Plated Steel Nut: Brass

hose size	part number	list each
1-1/2	LSB-6	43.86
2	LSB-8	51.17
2-1/2	LSB-10	83.27
3	LSB-12	77.14
4	LSB-16	121.79

Shank: Brass

Nut: Brass

1-1/2	LBB-6	56.89
2	LBB-8	70.61
2-1/2	LBB-10	106.88
3	LBB-12	151.01
4	LBB-16	247.11

Shank: 316 Stainless

Nut: 316 Stainless (includes Teflon Washer)

1-1/2	LSS-6	138.11
2	LSS-8	172.64
3	LSS-12	233.05

FEMALE LONG SHANK (hex nut)



Shank: Brass Hex Nut: Brass

hose size	part number	list each
1-1/2	XLFB-6	89.25
2	XLFB-8	103.14
2-1/2	XLFB-10	138.86
3	XLFB-12	196.35
4	XLFB-16	376.86

MALE LONG SHANK



Plated Steel

hose size	part number	list each
1-1/2	LMS-6	21.05
2	LMS-8	26.31
2-1/2	LMS-10	43.86
3	LMS-12	43.43
4	LMS-16	66.67

Brass

1-1/2	LMB-6	41.66
2	LMB-8	61.48
2-1/2	LMB-10	89.25
3	LMB-12	137.86
4	LMB-16	322.81

316 Stainless

1-1/2	LMSS-6	60.41
2	LMSS-8	88.04
3	LMSS-12	160.55

NH SUCTION HOSE COUPLINGS (NST threads)



COMPLETE SET (NH)



Shanks: Plated Steel

Nut: Brass

hose size	part number	list each
1-1/2	NHS-6	53.94
2-1/2	NHS-10	102.98

Shanks: Brass

Nut: Brass

1-1/2	NHB-6	85.00
2-1/2	NHB-10	171.92

FEMALE SHANK (NH)



Shanks: Plated Steel

Nut: Brass

hose size	part number	list each
1-1/2	FHS-6	31.87
2-1/2	FHS-10	65.38

Shanks: Brass

Nut: Brass

1-1/2	FHB-6	38.64
2-1/2	FHB-10	81.12

MALE SHANK (NH)



Plated Steel

hose size	part number	list each
1-1/2	MHS-6	22.06
2-1/2	MHS-10	37.60

Brass

1-1/2	MHB-6	46.35
2-1/2	MHB-10	90.79

WASHER



Neoprene (NPSM)

hose size	part number	list each
1-1/4	WN-5	0.72
1-1/2	WN-6	0.72
2	WN-8	0.80
2-1/2	WN-10	0.95
3	WN-12	1.49
4	WN-16	1.85
6	WN-24	7.50
8	WN-32	16.23

Teflon® (NPSM)

1-1/2	WT-6	14.02
2	WT-8	16.52
3	WT-12	22.71

Neoprene (NH)

1-1/2	NHW-6	3.18
2-1/2	NHW-10	3.18

SPANNER WRENCH



size	part number	list each
1-1/2	SW-6	9.75
2	SW-8	9.75
3	SW-12	11.68
4	SW-16	11.68
6	SW-32	55.61
8	SW-32	55.61

ADJUSTABLE HYDRANT WRENCH



part number	list each
AHW-1	53.29

- Adjustable for 1-1/4" square nuts and pentagon hydrant nuts up to 1-3/4" point to flat.
- Spanner hook for 1-1/2" through 6" pin lug nuts.
- 18" overall length.
- Sold in 5 per carton quantity.

FOOT VALVES & STRAINERS



ROUND HOLE STEEL STRAINER



npsm size	part number	list each
1-1/2	RHS-6	21.33
2	RHS-8	24.34
2-1/2	RHS-10	27.94
3	RHS-12	33.99
4	RHS-16	47.28
6	RHS-24	132.96
8	RHS-32	295.49

SQUARE HOLE STEEL STRAINER



npsm size	part number	list each
1-1/2	SHS-6	22.60
2	SHS-8	25.70
2-1/2	SHS-10	29.55
3	SHS-12	37.76
4	SHS-16	52.54
6	SHS-24	147.76

TOP HOLE STEEL STRAINER



npsm size	part number	list each
1-1/2	THS-6	65.33
2	THS-8	73.10
3	THS-12	165.11

BOTTOM HOLE STEEL STRAINER



npsm size	part number	list each
1-1/2	BHS-6	70.36
2	BHS-8	79.79
3	BHS-12	178.67

FOOT VALVE (painted cast iron)



npt size	part number	list each
1-1/2	FV-6	32.50
2	FV-8	47.80
2-1/2	FV-10	61.05
3	FV-12	79.60
4	FV-16	132.34
6	FV-24	326.56
8	FV-32	649.43

Foot Valve components are available upon request.

BALL & SOCKET COUPLINGS

FEMALE* (socket x machined hose end)



Plated Steel

hose size	part number	list each
2	BFGS-8	61.32
3	BFGS-12	86.26
4	BFGS-16	133.12
6	BFGS-24	279.12
8	BFGS-32	436.36

*Sold without SBR ring gasket listed below

MALE (ball x machined hose end)



Plated Steel

hose size	part number	list each
2	BMGS-8	60.77
3	BMGS-12	85.22
4	BMGS-16	126.36
6	BMGS-24	252.16
8	BMGS-32	395.37

LEVER



Galvanized Steel

hose size	part number	list each
2	BLGS-8	29.88
3	BLGS-12	48.04
4	BLGS-16	76.15
6	BLGS-24	145.12
8	BLGS-32	262.79

RING GASKET



SBR

hose size	part number	list each
2	BSG-8	5.08
3	BSG-12	6.15
4	BSG-16	7.19
6	BSG-24	14.17
8	BSG-32	21.71

SLEEVES

SLEEVES for medium machined shank couplings



Plated Steel

hose size	sleeve i.d.	part number	list each
1/2	1	SPS050100S	4.73
3/4	1-8/64	SPS075108S	4.90
3/4	1-12/64	SPS075112S	4.90
3/4	1-16/64	SPS075116S	4.90
3/4	1-20/64	SPS075120S	4.90
3/4	1-24/64	SPS075124S	4.90
1	1-28/64	SPS100128S	4.70
1	1-32/64	SPS100132S	4.70
1	1-36/64	SPS100136S	4.70
1	1-40/64	SPS100140S	4.70
1	1-44/64	SPS100144S	4.70
1	1-48/64	SPS100148S	4.70
1-1/4	1-40/64	SPS125140S	4.70
1-1/4	1-48/64	SPS125148S	4.70
1-1/4	1-52/64	SPS125152S	4.70
1-1/4	1-56/64	SPS125156S	4.70
1-1/2	1-60/64	SPS150160S	4.94
1-1/2	2	SPS150200S	4.94
1-1/2	2-4/64	SPS150204S	4.94
1-1/2	2-8/64	SPS150208S	4.94
1-1/2	2-12/64	SPS150212S	4.94
1-1/2	2-16/64	SPS150216S	4.94
1-1/2	2-20/64	SPS150220S	4.94
1-1/2	2-24/64	SPS150224S	4.94
2	2-8/64	SPS200208S	5.99
2	2-16/64	SPS200216S	5.99
2	2-24/64	SPS200224S	5.99
2	2-28/64	SPS200228S	5.99
2	2-32/64	SPS200232S	5.99
2	2-36/64	SPS200236S	5.99
2	2-40/64	SPS200240S	5.99
2	2-44/64	SPS200244S	5.99
2	2-48/64	SPS200248S	5.99
2	2-52/64	SPS200252S	5.99
2	2-56/64	SPS200256S	5.99
2	2-60/64	SPS200260S	5.99
2	3	SPS200300S	5.99
2-1/2	2-48/64	SPS250248S	8.18
2-1/2	2-56/64	SPS250256S	8.18
2-1/2	3	SPS250300S	8.18
2-1/2	3-8/64	SPS250308S	8.18
2-1/2	3-16/64	SPS250316S	8.18

continued on next page

Plated Steel Sleeves

(continued from previous page)

2-1/2	3-24/64	SPS250324S	8.18
2-1/2	3-32/64	SPS250332S	8.18
3	3-8/64	SPS300308S	9.75
3	3-16/64	SPS300316S	9.75
3	3-24/64	SPS300324S	9.75
3	3-28/64	SPS300328S	9.75
3	3-32/64	SPS300332S	9.75
3	3-36/64	SPS300336S	9.75
3	3-40/64	SPS300340S	9.75
3	3-44/64	SPS300344S	9.75
3	3-48/64	SPS300348S	9.75
3	3-52/64	SPS300352S	9.75
3	3-56/64	SPS300356S	9.75
3	3-60/64	SPS300360S	9.75
3	4	SPS300400S	9.75
4	4-16/64	SPS400416S	13.14
4	4-24/64	SPS400424S	13.14
4	4-32/64	SPS400432S	13.14
4	4-36/64	SPS400436S	13.14
4	4-40/64	SPS400440S	13.14
4	4-44/64	SPS400444S	13.14
4	4-48/64	SPS400448S	13.14
4	4-52/64	SPS400452S	13.14
4	4-56/64	SPS400456S	13.14
4	4-60/64	SPS400460S	13.14
4	5	SPS400500S	13.14
5	5-36/64	SPS500536	32.09
5	5-48/64	SPS500548	32.09
5	5-60/64	SPS500560	32.09
6	6-16/64	SPS600616	36.76
6	6-24/64	SPS600624	36.76
6	6-32/64	SPS600632	36.76
6	6-40/64	SPS600640	36.76
6	6-48/64	SPS600648	36.76
6	6-56/64	SPS600656	36.76
6	7	SPS600700	36.76
6	7-8/64	SPS600708	36.76
6	7-16/64	SPS600716	36.76
6	7-24/64	SPS600724	36.76
8	8-16/64	SPS800816	62.46
8	8-32/64	SPS800832	62.46
8	8-48/64	SPS800848	62.46
8	9	SPS800900	62.46
8	9-16/64	SPS800916	62.46
8	9-32/64	SPS800932	62.46
8	9-48/64	SPS800948	62.46
10	10-32/64	SPS101032	118.00
10	10-48/64	SPS101048	118.00
10	10-56/64	SPS101056	118.00
10	11	SPS101100	118.00
10	11-16/64	SPS101116	118.00
10	11-32/64	SPS101132	118.00
10	11-48/64	SPS101148	118.00
12		SPS120XXX	POR

304 Stainless

1/2	1	SSS050100S	7.20
3/4	1-4/64	SSS075104S	7.20
3/4	1-8/64	SSS075108S	7.20
3/4	1-12/64	SSS075112S	7.20
3/4	1-16/64	SSS075116S	7.20
3/4	1-20/64	SSS075120S	7.20
3/4	1-24/64	SSS075124S	7.20
1	1-28/64	SSS100128S	7.20
1	1-32/64	SSS100132S	7.20
1	1-36/64	SSS100136S	7.20
1	1-40/64	SSS100140S	7.20

1	1-44/64	SSS100144S	7.20
1	1-48/64	SSS100148S	7.20
1-1/4	1-40/64	SSS125140S	8.58
1-1/4	1-48/64	SSS125148S	8.58
1-1/4	1-52/64	SSS125152S	8.58
1-1/4	1-56/64	SSS125156S	8.58
1-1/2	1-60/64	SSS150160S	8.58
1-1/2	2	SSS150200S	8.58
1-1/2	2-4/64	SSS150204S	8.58
1-1/2	2-8/64	SSS150208S	8.58
1-1/2	2-12/64	SSS150212S	8.58
1-1/2	2-16/64	SSS150216S	8.58
1-1/2	2-20/64	SSS150220S	8.58
1-1/2	2-24/64	SSS150224S	8.58
2	2-8/64	SSS200208S	12.33
2	2-16/64	SSS200216S	12.33
2	2-24/64	SSS200224S	12.33
2	2-28/64	SSS200228S	12.33
2	2-32/64	SSS200232S	12.33
2	2-36/64	SSS200236S	12.33
2	2-40/64	SSS200240S	12.33
2	2-44/64	SSS200244S	12.33
2	2-48/64	SSS200248S	12.33
2	2-52/64	SSS200252S	12.33
2	2-56/64	SSS200256S	12.33
2	2-60/64	SSS200260S	12.33
2	3	SSS200300S	16.08
2-1/2	3-8/64	SSS250308S	16.08
2-1/2	3-16/64	SSS250316S	16.08
2-1/2	3-24/64	SSS250324S	16.08
2-1/2	3-32/64	SSS250332S	16.08
3	3-8/64	SSS300308S	16.54
3	3-16/64	SSS300316S	16.54
3	3-24/64	SSS300324S	16.54
3	3-28/64	SSS300328S	16.54
3	3-32/64	SSS300332S	16.54
3	3-36/64	SSS300336S	16.54
3	3-40/64	SSS300340S	16.54
3	3-44/64	SSS300344S	16.54
3	3-48/64	SSS300348S	16.54
3	3-52/64	SSS300352S	16.54
3	3-56/64	SSS300356S	16.54
3	3-60/64	SSS300360S	16.54
4	4	SSS400400S	27.50
4	4-16/64	SSS400416S	27.50
4	4-24/64	SSS400424S	27.50
4	4-32/64	SSS400432S	27.50
4	4-36/64	SSS400436S	27.50
4	4-40/64	SSS400440S	27.50
4	4-44/64	SSS400444S	27.50
4	4-48/64	SSS400448S	27.50
4	4-52/64	SSS400452S	27.50
4	4-56/64	SSS400456S	27.50
4	4-60/64	SSS400460S	27.50
4	5	SSS400500S	27.50
6	6-16/64	SSS600616	69.10
6	6-24/64	SSS600624	69.10
6	6-32/64	SSS600632	69.10
6	6-40/64	SSS600640	69.10
6	6-48/64	SSS600648	69.10
6	6-56/64	SSS600656	69.10
6	7	SSS600700	69.10
6	7-8/64	SSS600708	69.10
6	7-16/64	SSS600716	69.10
6	7-24/64	SSS600724	69.10

For a complete listing of
all Ferrules and Sleeves,
go to Section G.